

P17946.A11

a receiver that receives e-mail data via the network;

a memory that stores the e-mail data received by said receiver;

a generator that generates a HTML file including management data corresponding to the stored e-mail data, the management data including sender data of the e-mail data; and

b1
a communicator that performs a HTTP protocol communication with the terminal apparatus to transmit the HTML file to the terminal apparatus when a request for the management data is received from the terminal apparatus, the management data in the HTML file being displayable at the terminal apparatus,

wherein, when management data is designated at the terminal apparatus, said communicator transmits e-mail data corresponding to the designated management data to the terminal apparatus.

5.6 C1 >
b2
26. (Clean Copy) The communication apparatus according to claim 20, wherein the scanner scans a document to obtain image data, said apparatus further comprising:

a compressor that compresses the image data; and

a facsimile transmitter that transmits the compressed image data to a destination via a telephone network.

5.6 C1 >
b3
30. (Clean Copy) A communication apparatus including a printer and a scanner connected to a terminal apparatus via a network, the communication apparatus comprising:

a receiver that receives e-mail data via the network;

P17946.A11

a memory that stores the e-mail data received by said receiver;

a generator that generates a HTML file including management data corresponding to the stored e-mail data, the management data including sender data of the e-mail data;

63 a communicator that performs a HTTP protocol communication with the terminal apparatus to transmit the HTML file to the terminal apparatus when a request for the management data is received from the terminal apparatus, the management data in the HTML file being displayable at the terminal apparatus; and

a controller that, in response to receipt of a designation of management data by the terminal apparatus, and in response to receipt of a command output by the terminal apparatus, controls a transmission of the stored e-mail data corresponding to the designated management data in accordance with the command.

SJC 17 32. (Clean Copy) The communication apparatus according to claim 30, further comprising:

64 a converter that converts the stored e-mail data into image data;

wherein the printer prints the converted image data; and

wherein said controller controls printing of the converted e-mail data in accordance with the command from the terminal apparatus.

P17946.A11

33. (Clean Copy) A communication method using a communication apparatus including a scanner and a printer connected to a terminal apparatus via a network, the method comprising:

receiving e-mail data via the network;

storing the received e-mail data into a memory;

generating a HTML file including management data corresponding to the stored e-mail data, the management data including sender data of the e-mail data; and

performing a HTTP protocol communication with the terminal apparatus to transmit the HTML file to the terminal apparatus when a request for the management data is received from the terminal apparatus, the management data in the HTML file being displayable at the terminal apparatus,

wherein, when management data is designated at the terminal apparatus, the communicator transmits e-mail data corresponding to the designated management data is transmitted to the terminal apparatus.

35. (Clean Copy) The communication method according to claim 33, wherein the storing stores a TIFF file attached to the e-mail data.

36. (Clean Copy) The communication method according to claim 33, wherein generating the HTML file including the management data includes generating at least a time at which the e-mail data corresponding to the management data is stored in the memory.

505 C1 > 43. (Clean Copy) A communication method using a communication apparatus including a printer and a scanner connected to a terminal apparatus via a network, the method comprising:

receiving e-mail data via the network;

storing the received e-mail data into a memory;

generating a HTML file including management data corresponding to the stored e-mail data, the management data including sender data of the e-mail data;

69 performing a HTTP protocol communication with the terminal apparatus to transmit the HTML file to the terminal apparatus when a request for the management data is received from the terminal apparatus, the management data in the HTML file being displayable at the terminal apparatus;

controlling, in response to receipt of a designation of management data by the terminal apparatus and in response to receipt of a command output by the terminal apparatus, transmission of the stored e-mail data corresponding to the designated management data in accordance with the command.

The following claims are submitted for consideration by the Examiner:

505 C1 > 69 --- 46. (New) The communication apparatus according to claim 30, wherein the terminal apparatus displays command menu together with the management data.

P17946.A11

47. (New) The communication apparatus according to claim 46, wherein the terminal apparatus displays a plurality of commands including at least a transmission command and a printing command, the stored e-mail being controlled by selection of one of the commands.

48. (New) The communication apparatus according to claim 20, wherein said memory is configured to store a plurality of e-mail data, the HTML file including management data for each of the plurality of stored e-mail data, and said communicator transmitting a selected one of said plurality of e-mail data to the terminal apparatus, in response to a designation of a corresponding management data.

49. (New) The communication apparatus according to claim 20, the management data associating the HTML file with the stored e-mail data.

50. (New) The communication apparatus according to claim 30, the management data associating the HTML file with the stored e-mail data.

51. (New) The communication method according to claim 33, the management data associating the HTML file with the stored e-mail data.

52. (New) The communication method according to claim 43, the management data associating the HTML file with the stored e-mail data.---

Please cancel claims 31 and 44 without prejudice or disclaimer of the subject matter.